

# SAFETY DATA SHEET

ISK BIOCIDES, INC.

## SECTION 1: Identification

**Product identifier:** NeXgen®.  
**Other means of identification:** None.  
**SDS number:** ISK014  
**Recommended use:** Fungicide for Control of Surface Molds and Sapstain Fungi on Wood.  
**Recommended restrictions:** None known.  
**Manufacturer/Importer/Supplier/Distributor information:**  
**Company name:** ISK Biocides, Inc.  
**Address:** 416 East Brooks Road,  
Memphis.  
TN 38109.  
**Telephone:** Office hours (Mon – Fri)  
7:00 – 4:30pm (Central time).  
(901) 344-5350 or (800) 248-7961.  
**Contact Person:** Anthony Accampo or Gail Watson  
**E-mail:** SDSInquiry@iskbiocides.com  
**Emergency phone number:** Chemtrec (800) 424-9300 (24 hours).

## SECTION 2: Hazard(s) identification

**Classification of the chemical in accordance with paragraph (d) of §1910.1200:**

***Physical hazards:***

None.

***Health hazards:***

Acute Toxicity (Oral) Category 4.  
Skin Corrosion Category 1B.  
Skin sensitization Category 1.  
Serious eye damage Category 1.  
Acute Toxicity (Inhalation) Category 2.  
Specific target organ toxicity, Single Exposure Category 3 Respiratory system.  
Carcinogenicity Category 2.

***Environmental hazards:***

Aquatic Acute Category 1.

**Signal word:** **DANGER**

**Hazard statement(s):** Harmful if swallowed.  
Causes severe skin burns and eye damage.  
May cause an allergic skin reaction.

Causes serious eye damage.  
Fatal if inhaled.  
May cause respiratory irritation.  
May cause cancer.  
Very toxic to aquatic life.

**Hazard symbol(s):**



**Precautionary statement(s):**

**Prevention:**

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Do not breathe dust/fume/gas/mist/vapors/spray.  
Wash thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Use only outdoors or in a well-ventilated area.  
Contaminated work clothing should not be allowed out of the workplace.  
Avoid release to the environment.  
Wear protective gloves/protective clothing/eye protection/face protection.  
Wear respiratory protection.

**Response:**

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.  
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.  
Immediately call a POISON CENTER or doctor/physician.  
Specific treatment is urgent (see instructions on this label).  
Rinse mouth.  
If skin irritation or a rash occurs: Get medical advice/attention.  
Wash contaminated clothing before reuse.  
Collect spillage.

**Storage:** Store in a well ventilated place. Keep container tightly closed.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations.

**Hazard(s) not otherwise Classified (HNOC):** None known.

**Percentage of ingredient(s) of unknown acute toxicity:**

19 % of the mixture consists of ingredients of unknown acute toxicity (oral).

34 % of the mixture consists of ingredients of unknown acute toxicity (dermal).

19 % of the mixture consists of ingredients of unknown acute toxicity (inhalation).

**SECTION 3: Composition/information on ingredients**

**Mixture:**

<b>Chemical name</b>	<b>Concentration (weight %)</b>	<b>CAS#</b>
Chlorothalonil Technical	10 - 20%	1897-45-6
Methylene bis-thiocyanate	10 – 20%	6317-18-6
Proprietary Dispersant	1 – 10%	Proprietary

The specific chemical identity and/or exact percentage (concentrate) of composition has been withheld under trade secret rights.

**SECTION 4: First-aid Measures**

**Inhalation:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or physician for further treatment advice.

**Skin contact:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment advice.

**Eye contact:** Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or physician for treatment advice.

**Ingestion:** Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or physician. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

**Most important symptoms/effects, acute and delayed:** Corrosive to skin and eyes. Causes irreversible eye damage. Can cause gastrointestinal irritation, nausea, vomiting, and diarrhea. Can result in some corrosive action to the mouth, throat, esophagus, and stomach tissue. Can cause nasal and respiratory irritation, dizziness, nausea, vomiting, headache, and weakness. Moderate dermal irritant. Repeated or excessive dermal exposure may cause marked skin irritation. On overexposed skin, may cause moderate irritation, redness, and a flaky rash may result. Faint to moderate sensitizer. May cause an allergic skin reaction. Harmful if absorbed through skin.

**Indication of immediate medical attention and special treatment needed:** Probable mucosal damage may contraindicate the use of gastric lavage. Topical steroids have been effective in treatment of skin irritation. If any symptoms described above are noted, contact a physician and give them this SDS sheet.

#### **SECTION 5: Fire-fighting measures**

**Suitable extinguishing media:** Use water spray, dry chemical, foam, or carbon dioxide to extinguish flames. Use water spray to cool fire exposed containers. Water or foam may cause some foam and frothing.

**Unsuitable extinguishing media:** None known.

**Specific hazards arising from the chemical:** May decompose under fire conditions emitting gases and vapors (i.e. hydrogen chloride) which may be toxic and irritating to the respiratory tract.

*Hazardous combustion products may include:* Carbon monoxide, carbon dioxide, Hydrogen chloride.

**Special protective equipment and precautions for fire-fighters:** Wear special chemical protective clothing and positive pressure self-contained breathing apparatus. Approach fire from upwind to avoid hazardous vapors and toxic decomposition products. Decontaminate or discard any clothing that may contain chemical residue.

#### **SECTION 6: Accidental release measures**

**Personal precautions, protective equipment and emergency procedures:**

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

**Methods and materials for containment and cleaning up:**

**SMALL SPILL:** Wear appropriate protective clothing (see Section 8). Contain spill. Remove as much as possible (shovel up and sweep up), remove contaminated soil. Place in closed, labeled containers and store in a safe place to await proper disposal.

**LARGE SPILL:** Wear appropriate protective clothing (see Section 8). Restrict access to contaminated area. Stop spill at source. Dike to prevent spreading. Pump liquid to a recovery vessel. Absorb remainder of material with sand or clay and place in a properly labeled waste receptacle. This product is toxic to fish. Do not contaminate water while cleaning equipment or disposing of wastes. Persons performing this work should wear adequate personal protective equipment and clothing. Prohibit contamination of streams, lakes, ponds, or other bodies of water.

**SECTION 7: Handling and Storage**

**Precautions for safe handling:** Observe good personal hygiene practices. Change protective gloves/clothing when signs of contamination appear. Keep out of reach of children. Avoid getting this material into contact with your skin and eyes. Use this product with adequate ventilation. Read and follow the directions on the product label; they are the best guide to using this product in the most effective way, and give the necessary safety precautions to protect your health.

**Conditions for safe storage, including any incompatibles:** Store away from food or feed in a secure, well-ventilated area. Protect from extreme temperatures. Do not transfer to an unmarked container. Keep container closed when not in use. (See Section 10 for incompatibles).

**SECTION 8: Exposure controls/personal protection**

**Control Parameters:**

**Occupational exposure limits:**

<b>US OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200): Permissible Exposure Limits</b>		
<b>Substance</b>	<b>PEL-TWA (8 hour)</b>	<b>PEL-STEL (15 min)</b>
Chlorothalonil Technical	Not available	Not available
Methylene bis-thiocyanate	Not available	Not available
Proprietary Dispersant	Not available	Not available

<b>ACGIH Threshold Limit Values</b>		
<b>Substance</b>	<b>TLV-TWA (8 hour)</b>	<b>TLV-STEL (15 min)</b>
Chlorothalonil Technical	Not available	Not available
Methylene bis-thiocyanate	Not available	Not available
Proprietary Dispersant	Not available	Not available

**Other Exposure Limits:** Not available.

**Appropriate engineering controls:** Ventilate via mechanical methods (general or local exhaust) to maintain exposure below TLV(s), if applicable. Good industrial hygiene practice dictates that indoor work areas should be isolated and provided with adequate local exhaust ventilation.

**Individual protection measures, such as personal protective equipment:**

**Eye/face protection:** Wear chemical splash goggles and/or face shield, mask or NIOSH/MSHA approved pesticide respirator. Do not wear contact lenses.

**Skin and Hand protection:** Wear rubber gloves when handling, using, or applying this product. Special precautions should be taken to ensure that material cannot get inside gloves.

**Respiratory protection:** If mist is generated wear a mask or pesticide respirator jointly approved by the NIOSH/MSHA. In most circumstances a dust/mist mask provides adequate protection.

**Other:** Wear long-sleeved shirt, long pants and chemical resistant gloves while mixing, loading and applying this product and when handling freshly treated wood. The clothing should be changed daily. Safety showers and eyewash stations should be provided in all areas in which this product is stored and/or handled. Persons exposed routinely to this material should shower prior to leaving work each day. Work clothing should be changed daily. Wash clothing separately before re-use.

**Thermal hazards:** None known.

**SECTION 9: Physical and chemical properties**

**Appearance:**

**Physical state:** Liquid.  
**Form:** Thick gray liquid slurry.  
**Color:** Creamy white to light gray.

**Odor:** Sulfur-like.

**Odor threshold:** Not available.

**pH:** 3.5 – 6.5

**Melting point/freezing point:** Not known.

**Initial Boiling point/Boiling Range:** 300 °F.

**Flash point:** Not applicable. Will not flash.

**Evaporation rate:** > 1 (nBuAC=1)

**Flammability (solid, gas):** Not available.

**Upper/lower flammability or explosive limits**

**Flammability limit – lower:** Non-combustible. Limits Not Applicable.

<b>Flammability limit – upper:</b>	Non-combustible. Limits Not Applicable.
<b>Explosive limit – lower:</b>	Non-combustible. Limits Not Applicable.
<b>Explosive limit – upper:</b>	Non-combustible. Limits Not Applicable.
<b>Vapor pressure:</b>	Not determined.
<b>Vapor density:</b>	Not determined.
<b>Relative density (Specific gravity):</b>	1.14
<b>Solubilities (water, other):</b>	Disperses.
<b>Partition coefficient (n-octanol/water):</b>	Not available.
<b>Auto-ignition temperature:</b>	Not known.
<b>Decomposition temperature:</b>	Not available.
<b>Viscosity:</b>	900 - 1600 cPs Brookfield #2 @ 20 rpm at 70°F.
<b>Other information:</b>	
<b>Bulk density:</b>	9.50 lbs per gal (weight per gallon cup).
<b>VOC:</b>	95 g/L – 0.79 lbs/gal – 8.26 weight %

## SECTION 10: Stability and Reactivity

**Reactivity:** Stable.

**Chemical stability:** This material is stable under normal handling and storage conditions.

**Possibility of hazardous reactions:** May decompose under fire conditions emitting gases and vapors (i.e. hydrogen chloride) which may be toxic and irritating to the respiratory tract.

**Conditions to avoid:** Strong bases and oxidants.

**Incompatible materials:** Strong bases and oxidants.

**Hazardous decomposition Products:** Oxides of Carbon, Hydrogen chloride.

## SECTION 11: Toxicological information

### Information on likely routes of exposure:

**Inhalation:** Can cause nasal and respiratory irritation, dizziness, nausea, vomiting, headache, and weakness.

**Ingestion:** Can cause gastrointestinal irritation, nausea, vomiting, and diarrhea. Can result in some corrosive action to the mouth, throat, esophagus, and stomach tissue.

**Skin:** Moderate dermal irritant. Repeated or excessive dermal exposure may cause marked skin irritation. On overexposed skin, may cause moderate irritation, redness, and a flaky rash may result. Faint to moderate sensitizer. May cause an allergic skin reaction. Harmful if absorbed through skin.

**Eye:** Corrosive. Causes irreversible eye damage. Can produce corneal damage, including iridal and conjunctival effects.

**Symptoms related to the physical, chemical, and toxicological characteristics:** None known.

**Delayed and immediate effects and chronic effects from short or long-term exposure:**  
May cause cancer.

**Acute toxicity:**

**Ingredient Information:**

Substance	Test Type (species)	Value
Chlorothalonil Technical	LD <sub>50</sub> Oral (Rat)	> 5000 mg/kg
	LD <sub>50</sub> Dermal (Rabbit)	> 5000 mg/kg
	LC <sub>50</sub> Inhalation (Rat)	0.1 mg/l (4h)
Methylene bis-thiocyanate	LD <sub>50</sub> Oral (Rat)	81.4 mg/kg
	LD <sub>50</sub> Dermal (Rat)	> 2000 mg/kg
	LC <sub>50</sub> Inhalation, (Rat)	0.0032 mg/l (4h)
Proprietary Dispersant	LD <sub>50</sub> Oral (Rat)	Not available
	LD <sub>50</sub> Dermal (Rabbit)	Not available
	LC <sub>50</sub> Inhalation, (Rat)	Not available

**Product Acute Toxicity Estimates:**

Oral: Rat - LD<sub>50</sub> - 486 mg/kg.

Dermal: Rabbit - LD<sub>50</sub> - > 2000 and < 20000 mg/kg.

Inhalation: Rat - LC<sub>50</sub> - 0.191 mg/l.

**Skin corrosion/irritation:** Primary Dermal Irritation Index (Rabbit) 3.3 / 8.0.  
Moderal dermal irritant.

**Serious eye damage/eye irritation:** Primary Eye Irritation (Rabbit): Eye Irritant.  
Irreversible corneal, iridal and conjunctival effects.

**Respiratory sensitization:** Based upon information available on the known components, the product is not anticipated to cause respiratory sensitization.

**Skin sensitization:** Dermal Sensitizer: Faint to moderate sensitizer.

**Germ cell mutagenicity:** Based upon information available on the known components, the product is not anticipated to cause germ cell mutagenicity.

**Carcinogenicity:** Chlorothalonil is listed as a carcinogen or potential carcinogen by California Proposition 65 and the US National Toxicology Program (NTP).

**Reproductive toxicity:** Based upon information available on the known components, the product is not anticipated to have reproductive toxicity.



**Specific target organ toxicity-  
Single exposure:**

Based upon information available on the known components, the product may cause specific target organ toxicity to the respiratory system after a single exposure.

**Specific target organ toxicity-  
Repeat exposure:**

Based upon information available on the known components, the product is not anticipated to cause specific target organ toxicity after repeated or prolonged exposure.

**Aspiration hazard:**

Based upon information available on the known components, the product is not anticipated to be an aspiration hazard.

**Further information:**

Not available.

**SECTION 12: Ecological information**

**Ecotoxicity**

**Product data:** No data available.

**Ingredient Information:**

Substance	Test Type	Species	Value
Chlorothalonil Technical	LC <sub>50</sub> Oncorhynchus mykiss (rainbow trout)	Fish	0.012 mg/l - 96 h
	EC <sub>50</sub> Daphnia magna (Water flea)	Invertebrate	0.06 mg/l - 48 h
	EC <sub>50</sub> Desmodesmus subspicatus (green algae)	Algae	0.6 mg/l - 72 h
Methylene bis-thiocyanate	LC <sub>50</sub> Oncorhynchus mykiss (rainbow trout)	Fish	0.089 mg/l – 96h
	EC <sub>50</sub> Daphnia magna (Water flea)	Invertebrate	0.07 mg/l – 48h
	LC <sub>50</sub> Pseudokirchneriella	Algae	0.0115 mg/l – 72h
Proprietary Dispersant	LC <sub>50</sub>	Fish	No data available
	EC <sub>50</sub>	Invertebrate	No data available
	LC <sub>50</sub>	Algae	No data available

<b>Persistence and degradability:</b>	Not available.
<b>Bioaccumulative potential:</b>	Not available.
<b>Mobility in soil:</b>	Not available.
<b>Mobility in general:</b>	Not available.
<b>Other adverse effects:</b>	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

### SECTION 13: Disposal considerations

#### Disposal instructions:

If these wastes cannot be disposed of according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance. Open dumping is prohibited. Pesticide wastes are acutely hazardous. Do not reuse empty container. Triple rinse container (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

### SECTION 14: Transport Information

**DOT:** UN 3265, Corrosive Liquid, Acidic, Organic n.o.s. (Tetrachloroisophthalonitrile), 8, PG III.

**IATA:** UN 3265, Corrosive Liquid, Acidic, Organic n.o.s. (Tetrachloroisophthalonitrile), 8, PG III.

**IMDG:** UN 3265, Corrosive Liquid, Acidic, Organic n.o.s. (Tetrachloroisophthalonitrile), 8, PG III.

**Special precautions during transport:** Not available.

**Bill of lading classification** = Preservatives, wood, n.o.i NMFC 161490, sub 2.

### SECTION 15: Regulatory Information

#### USA:

##### FIFRA: Pesticide Registration:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals.

Following is the hazard information as required on the pesticide label:

DANGER

May be fatal if swallowed.

May be fatal if inhaled.

Corrosive. Causes skin burns.  
Corrosive. Causes irreversible eye damage.  
Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.  
This pesticide is toxic to fish, aquatic invertebrates, marine/estuarine organisms and wildlife.

**United States Federal Regulations:** SDS complies with the OSHA, 29 CFR 1910.1200.

**SARA Superfund and Reauthorization Act of 1986 Title III sections 302, 311,312 and 313:**

Section 302 – None of the chemicals are EPCRA hazards.

**CERCLA/Superfund, 40 CFR 117, 302:** Not listed.

CHEMICAL	C.A.S. Number	Weight %	Section 311/312
Chlorothalonil	1897-45-6	10 – 20 %	Acute Health Hazard, Chronic Health Hazard
Methylene bis-thiocyanate	6317-18-6	10 – 20 %	Acute Health Hazard
Proprietary Dispersant	Proprietary	1 -10 %	Acute Health Hazard

**Section 313 – List of Toxic Chemicals (40CFR 372):** This product contains the following components (at level of 1% or greater) found on the 313 list of Toxic Chemicals.  
Chlorothalonil.

**Toxic Substance Control Act (TSCA):** All substances are TSCA listed.

**Federal Water Pollution Control Act, Clean Water Act, 40 CFR 401.15 (formerly section 307) 40 CFR 116 (formerly section 311):** This product does not contain listed chemicals.

**STATE REGULATIONS:**

This SDS contains specific health and safety data is applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

**California Proposition 65:** WARNING! This product contains a chemical known to the State of California to cause cancer: Chlorothalonil.

**New Jersey Right to Know:** The following components are listed on the New Jersey Right to Know list: Chlorothalonil.

**Pennsylvania Right to Know:** The following components are listed on the Pennsylvania Right to Know list: Chlorothalonil.

**Massachusetts Right to Know:** The following components are listed on the Massachusetts Right to Know list: Chlorothalonil.

#### **INTERNATIONAL REGULATIONS:**

**Canadian Regulations** Class D1A: Very toxic material causing immediate and serious toxic effects.

**Canadian Controlled Products Regulations (WHMIS):** This product has been classified in accordance with the hazard criteria of the *Controlled Products Regulations* and the SDS contains all the information required by the *Controlled Products Regulations*.

#### **SECTION 16: Other Information**

Revision Date: September 8, 2014.

The information in this Safety Data Sheet is provided in good faith and is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance and is not to be considered a warranty or quality specification. User is responsible to evaluate all available information when using product for any particular use, including, if necessary, conducting any tests needed to determine the suitability of the product for a particular use. User is also responsible for compliance with all Federal, State, Provincial and Local laws and regulations. ISK Biocides, Inc. assumes no responsibility for injury, damage or loss resulting from the use of the material. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE, INCLUDING THAT THE INFORMATION OR PRODUCT MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS, ARE MADE HEREUNDER WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

NeXgen<sup>®</sup> is a registered trademark of ISK Americas Incorporated.